
Cell Biology Knowledge Organiser - Foundation and Higher

Required Practical

Microscopy Required Practical

 Includes preparing a slide, using a light microscope, drawing any observations – use a pencil and label important observations.



Osmosis and Potato Practical

- Independent variable concentration.
- · Dependent variable change in mass.
- Control variable volume of solution, temperature, time, surface area of the potato.

The potato in the sugar solution will lose water and so will have less mass at the end; the potato in the pure water solution will gain water.






Specialised Cells

When a cell changes to become a specialised cell, it is called differentiation.

Specialised Cell	Function	Adaptation
sperm	To get the male DNA to the female DNA.	Streamlined head, long tail, lots of mitochondria to provide energy.
nerve	To send electrical impulses around the body.	Long to cover more distance. Has branched connections to connect in a network.
muscle	To contract quickly.	Long and contain lots of mitochondria for energy.
root hair	To absorb water from the soil.	A large surface area to absorb more water.
phloem	Transports substances around the plant.	Pores to allow cell sap to flow. Cells are long and joined end- to-end.
xylem	Transports water through the plant.	Hollow in the centre. Tubes are joined end-to-end.

Equations and Maths



Maths Skills

Conversions:


Micrometres to millimetres: divide by 1000.

Standard Form:

 $0.003 = 3 \times 10^{-3}$

 $5.6 \times 10^{-5} = 0.0056$

Prokaryotic and Eukaryotic Cells




Plant and animal cells have similarities and differences:

	Animal	Plant
nucleus	/	✓
cytoplasm	1	1
chloroplast	X	1
cell membrane	1	1
permanent vacuole	X	1
mitochondria	1	1
ribosomes	1	1
cell wall	X	1

Bacterial Cells

Bacterial cells do not have a true nucleus, they just have a single strand of DNA that floats in the cytoplasm. They contain a plasmid.





Cell Biology Knowledge Organiser - Foundation and Higher


Chromosomes and Mitosis

In the nucleus of a human cell there are 23 pairs of **chromosomes**. Chromosomes contain a double helix of **DNA**. Chromosomes have a large number of genes.



The cell cycle makes new cells.

Mitosis: DNA has to be **copied/replicated** before the cell carries out mitosis.



Key Vocabulary

active transport alveoli chromosome

diffusion

eukaryotic

gas exchange

mitosis

multicellular

osmosis

prokaryotic

undifferentiated

replicated

specialised

villi

Stem Cells

Embryonic stem cells are undifferentiated cells, they have the potential to turn into any kind of cell.



Adult stem cells are found in the bone marrow, they can only turn into some types of cells e.g. blood cells.

Uses of stem cells:

- · Replacing faulty blood cells;
- · making insulin producing cells;
- · making nerve cells.

Some people are against stem cell research.

For Stem Cell Research	Against Stem Cell Research
Curing patients with stem cells - more important than the rights of embryos.	Embryos are human life.
They are just using unwanted embryos from fertility clinics, which would normally be destroyed.	Scientists should find other sources of stem cells.

Stem Cells in Plants

In plants, stem cells are found in the meristem. These stem cells are able to produce clones of the plant. They can be used to grow crops with specific features for a farmer, e.g. disease resistant.

Exchange - Humans


Multicellular organisms have a large surface are to volume Diffusion is the spreading out of ratio so that all the substances can be exchanged.

particles from an area of higher

Gas exchange: Lungs

The alveoli are where gas exchange takes place.

They have a large surface area, moist lining, thin walls and a good blood supply.




Villi: Small Intestine

Millions of villi line the small intestine increasing the surface area to absorb more digested food.

They are a single layer of cells with a good blood supply.

Exchange in Plants



The surface of the leaf is flattened to increase the surface area for more gas exchange by diffusion.

Oxygen and water vapour diffuse out of the stomata. Guard cells open and close the stomata, controlling water loss.

Key Processes


Diffusion is the spreading out of particles from an area of higher concentration to an area of lower concentration.

Cell membranes are semi-permeable, only small molecules can get through.


Osmosis is the movement of water molecules across a partially permeable membrane from a region of higher concentration to a region of lower concentration.

Active transport is the movement of substances against the concentration gradient. This process requires energy from respiration.

Activ



Cell Diffusion





Active Transport in Cells

Exchange in Fish

Fish have a large surface area for gas exchange. These are called gills. Water enters the fish through the mouth and goes out through the gills. The oxygen is transported from the water to the blood by diffusion. Carbon dioxide diffuses from the blood to the water. Each gill has gill filaments which give the gills a large surface area. Lamellae cover each gill filament to further increase the surface area for more gas exchange. They have a thin surface layer and capillaries for good blood supply which helps with diffusion.

